


Item # Model 849A - 3/4", Model 849A 3/4" Trampas de Vapor

150WSP Body Rating
Operating Range 50 - 125PSI
Ductile Iron Construction
Stainless Steel Ball & Seat

E-Coated inside & out for Corrosion Resistance

Replacement cover assembly Model 850F.



[larger image](#)



[larger image](#)

[Specifications](#) · [Material List](#)


Specifications

| | |
|------------------------------|-------------------------------|
| Size | 3/4 in |
| Valve Type | Steam Trap |
| Pressure Class | 125 psi 150 WOG 125 WSP |
| End Connection | Threaded |
| Application | Steam |
| UL Listed | No |
| FM Approved | No |
| MEA Approved | No |
| MSS Compliant | No |
| Canadian Registration | No |
| Pressing Machine Part | No |

Material List

MATERIAL LIST

| NO. | DESCRIPTION | MATERIAL |
|-----|----------------|-----------------|
| 1 | Cover Assembly | Ductile Iron |
| 2 | Cap Screw | Plated Steel |
| 3 | Body | Ductile Iron |
| 4 | Strainer | Stainless Steel |




UNITED BRA

Item # Model 850 - 1/2", Model 850 1/2" Trampas de Vapor

150WSP Body Rating
Operating Range 50 - 125PSI
Ductile Iron Construction
Stainless Steel Ball & Seat

E-Coated Inside & Out For Corrosion Resistance.

Replacement cover assembly Model 850F.



[larger image](#)



[larger image](#)

[Specifications](#) · [Material List](#)


Specifications

| | |
|------------------------------|-------------------------------|
| Size | 1/2 in |
| Valve Type | Steam Trap |
| Pressure Class | 125 psi 150 WOG 125 WSP |
| End Connection | Threaded |
| Application | Steam |
| UL Listed | No |
| FM Approved | No |
| MEA Approved | No |
| MSS Compliant | No |
| Canadian Registration | No |
| Pressing Machine Part | No |

Material List

MATERIAL LIST

| NO. | DESCRIPTION | MATERIAL |
|-----|----------------|-----------------|
| 1 | Cover Assembly | Ductile Iron |
| 2 | Cap Screw | Plated Steel |
| 3 | Body | Ductile Iron |
| 4 | Strainer | Stainless Steel |



UNITED BHK